

# Sample *artdaq* System Process Layouts

J. Freeman


May 11, 2017

## SAMPLE ARTDAQ SYSTEM PROCESS LAYOUT

\* Solid arrows indicate blocking transfers, dotted arrows indicate non-blocking transfers

\* There can be an arbitrary number of any process type

\* Processes may be on different hosts




## SAMPLE ARTDAQ SYSTEM PROCESS LAYOUT

\* Solid arrows indicate blocking transfers, dotted arrows indicate non-blocking transfers

\* There can be an arbitrary number of any process type

\* Processes may be on different hosts




## SAMPLE ARTDAQ SYSTEM PROCESS LAYOUT

\* Solid arrows indicate blocking transfers, dotted arrows indicate non-blocking transfers

\* There can be an arbitrary number of any process type

\* Processes may be on different hosts




## SAMPLE ARTDAQ SYSTEM PROCESS LAYOUT

\* Solid arrows indicate blocking transfers, dotted arrows indicate non-blocking transfers

\* There can be an arbitrary number of any process type

\* Processes may be on different hosts




## SAMPLE ARTDAQ SYSTEM PROCESS LAYOUT

\* Solid arrows indicate blocking transfers, dotted arrows indicate non-blocking transfers

\* There can be an arbitrary number of any process type

\* Processes may be on different hosts




## SAMPLE ARTDAQ SYSTEM PROCESS LAYOUT

\* Solid arrows indicate blocking transfers, dotted arrows indicate non-blocking transfers

\* There can be an arbitrary number of any process type

\* Processes may be on different hosts



## SAMPLE ARTDAQ SYSTEM PROCESS LAYOUT

\* Solid arrows indicate blocking transfers, dotted arrows indicate non-blocking transfers

\* There can be an arbitrary number of any process type

\* Processes may be on different hosts

